

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

MSDS Version: E01.01

Date of issue: 09/02/2016

Blend Version: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

חעדה

Product form Product name Product code : Mixtures : Quantum Aircon Cleaner

: ZGB410015

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Cleaning of the air conditioning system including the evaporator and the interior of motorvehicles.

Function or use category

: Aerosol propellants

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Volkswagen Group UK Limited Yeomans Drive MK14 5AN - UK T +44 (0) 800 333666

1.4. Emergency telephone number

Emergency number : Hazchem line: 0044 (0) 7970 779978

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1	H222;H229
Aquatic Acute 1	H400

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)	: Danger
Hazardous ingredients	: Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
Hazard statements (CLP)	: H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H400 - Very toxic to aquatic life
Precautionary statements (CLP)	 P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P211 - Do not spray on an open flame or other ignition source P251 - Do not pierce or burn, even after use P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P273 - Avoid release to the environment
Allergenic fragrances > 0,01%:	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CITRONELLOL GERANIOL LINALOOL BENZYL ALCOHOL

Detergent Regulation : Labelling of contents: (Regulation (EC) No. 648/2004 of 31 March 2004 on detergents):

Component

aliphatic hydrocarbons disinfectants perfumes CITRONELLOL GERANIOL LINALOOL BENZYL ALCOHOL

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	% w	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Butane n-	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119474691-32	25 - 50	Flam. Gas 1, H220
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	25 - 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Propane	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (REACH-no) 01-2119486944-21	10 - 25	Flam. Gas 1, H220
Propan-2-ol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 2.5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides	(CAS-No.) 68424-85-1 (EC-No.) 270-325-2 (REACH-no) 01-2119983287-23	0.3	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Name	Product identifier	Specific of	concentration limits
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	(C >= 50) I	Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Victim conscious with laboured breathing: half-seated. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Keep watching the victim. Keep the victim calm, avoid physical strain. Give psychological aid. Prevent cooling by covering the victim (no warming up). Depending on the victim's condition: doctor/hospital.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. As it is a spray can packaging it is most unlikely that large quantities will be swallowed.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Alcohol resistant foam. ABC-powder. Carbon dioxide.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from	m the substance or mixture		
Fire hazard	: Extremely flammable aerosol. Heating may cause a fire or explosion. Gas/vapour spreads at floor level: ignition hazard.		
Explosion hazard	: Heating may cause an explosion. May form flammable/explosive vapour-air mixture.		
5.3. Advice for firefighters			
Firefighting instructions	: Cool closed containers exposed to fire with water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.		

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	• • •		
6.1.1.	For non-emergency personnel		
Protecti	ve equipment	:	Wear suitable gloves and eye/face protection. protective clothing. Large spills/in enclosed spaces: compressed air apparatus.
Emerge	ncy procedures	:	Mark the danger area. Exposure to fire/heat: keep upwind. Stop engines and no smoking. Seal off low-lying areas. No naked flames, sparks, and do not smoke. Close doors and windows of adjacent premises. Use spark-/explosionproof appliances and lighting system. Large spills/in confined spaces: consider evacuation. Wash contaminated clothes.
6.1.2.	For emergency responders		
Emerge	ncy procedures	:	Ventilate area.
6.2.	Environmental precautions		
Avoid re	elease to the environment. Prevent	er	try to sewers and public waters.
6.3.	Methods and material for c	or	tainment and cleaning up
For con	tainment	:	Collect spillage.
Method	s for cleaning up	:	Take up liquid spill into inert absorbent material. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.
Other in	Iformation	:	Ventilate area.
6.4.	Reference to other sections	5	
No addi	tional information available		

SECTION 7: Handling and storage			
7.1. Precautions for safe ha	ndling		
Precautions for safe handling	Provide good ventilation in process area to prevent format legal requirements. Do not handle until all safety precauti understood. Keep away from heat, hot surfaces, sparks, or ignition sources. No smoking. Presents no particular risk v accordance with good occupational hygiene practice.	ons have been read and open flames and other	
Hygiene measures	: Use good personal hygiene practices. IF ON SKIN: Wash water. Wash contaminated clothing before reuse.	vith plenty of soap and	
02/05/2017	EN (English)	3/9	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities				
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.			
Storage temperature	: <= 45 °C			
Heat and ignition sources	: Keep away from sources of ignition - No smoking. Keep away from heat.			
Information on mixed storage	: Keep away from strong acids and strong oxidizers.			
Storage area	: Fireproof storeroom. Protect from heat and direct sunlight. Store in a dry place. Ventilation along the floor. Meet the legal requirements.			
Special rules on packaging	: Meet the legal requirements. correctly labelled.			
Packaging materials	: Pressurised small gas containers (aerosol cans).			

7.3. Specific end use(s)

Use biocides safely. Always read the label and product information before use. See product bulletin for detailed information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
Butane n- (106-97-8)			
Belgium	Limit value (p	nm)	1000 ppm
Ethanol (64-17-5)		P)	1000 ppm
Belgium	Limit value (m	ng/m ³)	1907 mg/m³
Belgium	Limit value (n	- ,	1000 ppm
-	Linic value (p		1000 ppm
Propane (74-98-6)	Limit volue (n	200	1000 ppm
Belgium	Limit value (p	pin)	1000 ppm
Propan-2-ol (67-63-0)		(F00
Belgium	Limit value (m		500 mg/m ³
Belgium	Limit value (p Short time va		200 ppm 1000 mg/m³
Belgium			-
Belgium France	Short time val VLE (mg/m ³)		400 ppm 980 mg/m³
France	VLE (mg/m ²) VLE (ppm)		400 ppm
			400 ppm
Ethanol (64-17-5)			
DNEL/DMEL (Workers)		1000 ()	
Acute - local effects, inhal		1900 mg/m ³	
Long-term - systemic effe	•	343 mg/kg bodyweight/day	
Long-term - systemic effe		950 mg/m ³	
DNEL/DMEL (General population)		950 mg/m ³	
Acute - local effects, inhal Long-term - systemic effe		87 mg/kg bodyweight/day	
Long-term - systemic effe		114 mg/m ³	
Long-term - systemic effe		206 mg/kg bodyweight/day	
PNEC (Water)			
PNEC aqua (freshwater)		0.96 mg/l	
PNEC aqua (marine water))	0.79 mg/l	
PNEC aqua (intermittent,		2.75 mg/l	
PNEC (Sediment)	,	5.	
PNEC sediment (freshwate	er)	3.6 mg/kg dwt	
PNEC (Soil)			
PNEC soil		0.63 mg/kg dwt	
PNEC (STP)			
PNEC sewage treatment plant		580 mg/l	
Propan-2-ol (67-63-0)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal		888 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation		500 mg/m ³	
DNEL/DMEL (General popu	ulation)		
Law a barrest and a set a set		Constant (loss la sub-sub-stanlash / day o	

26 mg/kg bodyweight/day

Long-term - systemic effects, oral

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propan-2-ol (67-63-0)	
Long-term - systemic effects, inhalation	89 mg/m ³
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	140.9 mg/l
PNEC aqua (marine water)	140.9 mg/l
PNEC aqua (intermittent, freshwater)	140.9 mg/l
PNEC aqua (intermittent, marine water)	140.9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	552 mg/kg dwt
PNEC sediment (marine water)	552 mg/kg dwt
PNEC (Soil)	
PNEC soil	28 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	160 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	2251 mg/l
8.2. Exposure controls	
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide good ventilation in process area to prevent formation of vapour. Does not require any specific or particular technical measures.
Personal protective equipment	: Protective clothing. Gloves. Protective goggles. Insufficient ventilation: wear respiratory protection.



differ for each manufacturer.

Hand protection

Other information

: Breakthrough time : >30'. Thickness of the glove material >0.1mm.

checked with the glove producer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Aerosol.
Colour	: Colourless.
Odour	: Characteristic odour.
Odour threshold	: No data available
рН	:
Relative evaporation rate (butylacetate=1)	: No data available
refraction index	: 1.365
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 78 - 100 °C
Flash point	: 13 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density @20°C	: 790 kg/m ³
Solubility	: Soluble in water.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic @40°C	: < 1 mm²/s
Viscosity, dynamic @40°C	: No data available
Viscosity	:
Viscosity Index	:
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

: 99.125 %

Additional information

VOC content

: Physical and chemical properties of the active product without gas. The physical and chemical data in this section are typical values for this product and are not intended as product specifications.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Keep away from strong acids and strong oxidizers.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours. Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects			
/	Acute toxicity	: Not classified	

Ethanol (64-17-5)		
LD50 oral rat	10470 mg/kg @95%	
LC50 inhalation rat (mg/l)	117 - 125 mg/l/4h Sprague-Dawley	
ATE CLP (oral)	10470.000 mg/kg bodyweight	
ATE CLP (vapours)	117.000 mg/l/4h	
ATE CLP (dust,mist)	117.000 mg/l/4h	
Propan-2-ol (67-63-0)		
LD50 oral rat	5840 mg/kg bodyweight Sherman	
LD50 dermal rabbit	13900 mg/kg bodyweight	
LC50 inhalation rat (mg/l)	> 25 mg/l	
ATE CLP (oral)	5840.000 mg/kg bodyweight	
ATE CLP (dermal)	13900.000 mg/kg bodyweight	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)		
LD50 oral rat	344 mg/kg	
ATE CLP (oral)	344.000 mg/kg bodyweight	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	

Safety Data Sheet

STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: May have a narcotic effect at high concentrations.
SECTION 12: Ecological inform	nation
12.1. Toxicity	
Ecology - general	: This product contains hazardous components for the aquatic environment.
Ecology - water	: Very toxic to aquatic life.
Ethanol (64-17-5)	
LC50 fish 1	96h 14200 mg/l Pimephales promelas
LC50 other aquatic organisms 1	48h 5012 mg/l Ceriodaphnia dubia
Propan-2-ol (67-63-0)	
LC50 fish 1	96h 9640 mg/l pimephales promelas
EC50 Daphnia 1	24h 9714 mg/l daphnia magna
LOEC (chronic)	1000 mg/l @8d algae
Quaternary ammonium compounds, LC50 fish 1	benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)
EC50 Daphnia 1	96h 0.28 mg/l Pimephales promelas 48h 0.016 mg/l Daphnia magna
ErC50 (algae)	72h 0.049 mg/l Pseudokirchneriella subcapitata
NOEC (chronic)	21d 0.0042 mg/l Daphnia Magna
NOEC chronic fish	34d 0.032 mg/l Pimephales promelas
12.2. Persistence and degradabi	lity
Quantum Aircon Cleaner	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Ethanol (64-17-5)	
Persistence and degradability	biodegradable. Readily biodegradable in water.
Propan-2-ol (67-63-0)	
Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	
Quantum Aircon Cleaner	
Bioaccumulative potential	No data available.
Ethanol (64-17-5)	
Log Kow	-0.35
Bioaccumulative potential	Slightly bioaccumulative.
Propan-2-ol (67-63-0)	
Log Pow Log Kow	0.05 < 4
-	No bioaccumulation
Bioaccumulative potential 12.4. Mobility in soil	No bioaccumulation.

12.5. Results of PBT and vPvB assessment

Propan-2-ol (67-63-0)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations 13.1. Waste treatment methods Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Pressurized container: Do not pierce or burn, even after use. Remove to an authorized waste treatment plant. European List of Waste (LoW) code : 20 01 19* - pesticides

asbestos), including empty pressure containers

15 01 11* - metallic packaging containing a dangerous solid porous matrix (e.g.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number		
UN-No. (ADR)	:	1950
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	:	AEROSOLS
Transport document description (ADR)	:	UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)		
Class (ADR)	:	2
Subsidiary risk (IMDG)	:	2.1

: 2.1

: 2.1

14.4. Packing group

Subsidiary risk (IATA)

Danger labels (ADR)

Not applicable

14.5. Environmental hazards

Dangerous for the environment



Other information

: No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Transport category (ADR)	: 2
Tunnel restriction code (ADR)	: D
Limited quantities (ADR)	: 11
14.6.2. Transport by sea	
14.6.2. Transport by sea EmS-No. (1)	: F-D, S-U
	: F-D, S-U
EmS-No. (1)	: F-D, S-U : 203

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance on the REACH candidate list \geq 0,1 % / SCL		
Contains no REACH Annex XIV substances		
VOC content : 99.125 %		
Allergenic fragrances > 0,01%:		
CITRONELLOL		0.04%
GERANIOL		0.01%
LINALOOL		0.01%
BENZYL ALCOHOL		0.04%

15.1.2. National regulations

Water hazard class (WGK)

: 2 - hazard to waters

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product